

Section II: Schedule of Requirements

eSourcing reference: ITB/2026/62687

1. Objective: UNOPS is soliciting quotations for the establishment of a Long Term Agreement as defined in this tender. Quotations must be submitted by using the Requirement and Price List contained in the attachments 'Section II: Schedule of Requirements' and 'Section III: Returnable Bidding Forms'. The overall objective of this solicitation is to establish a Long Term Agreement (LTA) to facilitate and expedite the process by which UNOPS will contract the supply of **Hook and Line Kits** once there are specific requirements in the 3 years following the signature of the LTA.

2. Number of LTAs and non-exclusivity: UNOPS will enter into an LTA agreement with one or multiple suppliers selected as a result of this procurement process as per evaluation methodology and criteria specified herein. The LTA shall be considered by UNOPS as non-exclusive and UNOPS will not be committed to purchase any minimum quantity.

3. Call Off Order and prices: Once the LTA is signed, if there is a specific requirement for **Hook and Line Kits**, the UNOPS appointed focal person shall issue a release Purchase Order (PO) to the supplier. The PO will include details on the type and number of items to be printed and other practical details. The pricing will be based on prices in the LTA contract as quoted in this ITB.

4. Contract Management/Service Level Agreement: The LTA supplier shall provide quarterly reports to the UNOPS focal point indicated in the LTA. UNOPS will regularly monitor the performance of the LTA supplier, based on the following Key Performance Indicators (KPIs):

- KPI 1: On-time delivery. Supplier shall deliver within maximum **30 working days** after receipt of the release of the PO.
- KPI 2: Completeness of the order, error free goods. Supplier shall deliver goods or services as per description/model included in the release order and at the right quantity.
- KPI 3: Price Compliance. Supplier shall supply goods as per unit prices identified in the LTA
- KPI 4: Accuracy of payment documentation. Supplier shall provide complete payment documentation including accurate invoices with correct quantities, unit price, order reference number, etc

If the supplier fails to meet UNOPS' performance requirements detailed above, it will receive in the first instance a warning to improve their performance. Continued failure to meet performance requirements may result in termination of the LTA.

A. Summary of Requirements

UNOPS requirements are comprised of the following lots:

- Lot 1: Hook and line system – Large
- Lot 2: Hook and line system – lite
- Lot 3: Hook and line system – backpack
- Lot 4: Hook and line system – tactical kit
- Lot 5: Hook and line system – access kit
- Lot 6: Hook and line system – building kit
- Lot 7: Hook and line system – vehicle kit
- Lot 8: Hook and line system – tripod kit

B. Technical specifications for Goods and Comparative Data Table

Technical specifications for Goods and Comparative Data Table for Lot 1: Hook and Line System – Large

UNOPS minimum technical requirements			Is a Bid compliant? Bidder to complete	Details of goods offered. Bidder to complete
Lot	Contents minimum or equivalent to:	Minimum Qty		
1	Description Large Hook & Line kit for IEDD and EOD tasks. Set stored in a heavy duty case. Corrosion-Resistant		☐ Yes ☐ No	Insert details of goods offered, including specifications and brand/model offered if applicable – Important : Vendors shall provide relevant technical brochure to facilitate evaluation Please note that just a reference to the Data Sheet or brochures is not acceptable and the bid might be rejected. Include here specification as requested and what is offered, backed up by the relevant documentations in the submission dossier. Copy Pasted answers from the Requirement column is not accepted
1.1	3 Function Door Wedge	2	☐ Yes ☐ No	Insert Specifications of offered products
1.2	Allen Grip (Heavy Duty Cantilever Jaw)	2	☐ Yes ☐ No	Insert Specifications of offered products
1.3	Bar Clamp Anchor	1	☐ Yes ☐ No	Insert Specifications of offered products
1.4	Bar Extension Anchor	1	☐ Yes ☐ No	Insert Specifications of offered products
1.5	Belt Sling, 80mm (Width)	1	☐ Yes ☐ No	Insert Specifications of offered products
1.6	Heavy Duty Telescopic Pole	1	☐ Yes ☐ No	Insert Specifications of offered products
1.7	Hook Holder	1	☐ Yes ☐ No	Insert Specifications of offered products
1.8	Hook Setter	1	☐ Yes ☐ No	Insert Specifications of offered products
1.9	Hook, approximately 1 in / 25 mm internal opening	2	☐ Yes ☐ No	Insert Specifications of offered products
1.10	Hook, approximately 2 in / 50 mm internal opening	2	☐ Yes ☐ No	Insert Specifications of offered products
1.11	Hook, 50mm ID, 19mm GAP	1	☐ Yes ☐ No	Insert Specifications of offered products
1.12	Hook, Double	2	☐ Yes ☐ No	Insert Specifications of offered products
1.13	Hook, S	1	☐ Yes ☐ No	Insert Specifications of offered products
1.14	Hook, SL 50mm ID	1	☐ Yes ☐ No	Insert Specifications of offered products
1.15	Karabiner, Locking Gate (Large)	4	☐ Yes ☐ No	Insert Specifications of offered products
1.16	Karabiner, Straight Gate (Small)	4	☐ Yes ☐ No	Insert Specifications of offered products
1.17	Large Wedge	2	☐ Yes ☐ No	Insert Specifications of offered products
1.18	Lightweight Spring Grip	2	☐ Yes ☐ No	Insert Specifications of offered products
1.19	Line Branch with Clamp	1	☐ Yes ☐ No	Insert Specifications of offered products
1.20	Line Puller	2	☐ Yes ☐ No	Insert Specifications of offered products

1.21	Line, Black, minimum 100m	1	☐ Yes ☐ No	Insert Specifications of offered products
1.22	Line, White, minimum 100m	1	☐ Yes ☐ No	Insert Specifications of offered products
1.23	Modular Clamp, STD Tips	1	☐ Yes ☐ No	Insert Specifications of offered products
1.24	Needle Nose Arm, Clamp	2	☐ Yes ☐ No	Insert Specifications of offered products
1.25	Piton Anchor	6	☐ Yes ☐ No	Insert Specifications of offered products
1.26	Pocket Search Mirror	1	☐ Yes ☐ No	Insert Specifications of offered products
1.27	Reel Assembly	2	☐ Yes ☐ No	Insert Specifications of offered products
1.28	Reel Bag	2	☐ Yes ☐ No	Insert Specifications of offered products
1.29	Rope Loop, 450mm	2	☐ Yes ☐ No	Insert Specifications of offered products
1.30	Rope Loop, 900mm	2	☐ Yes ☐ No	Insert Specifications of offered products
1.31	Rope Sling, 3mm, 2m	2	☐ Yes ☐ No	Insert Specifications of offered products
1.32	Rubber Door Wedge	4	☐ Yes ☐ No	Insert Specifications of offered products
1.33	Screw Eye	10	☐ Yes ☐ No	Insert Specifications of offered products
1.34	Seizers, (150mm minimum)	1	☐ Yes ☐ No	Insert Specifications of offered products
1.35	Seizers, Large (160mm minimum)	1	☐ Yes ☐ No	Insert Specifications of offered products
1.36	Self-Adhesive Anchor Pad	10	☐ Yes ☐ No	Insert Specifications of offered products
1.37	Self-Opening Snatch Block/Pulley	4	☐ Yes ☐ No	Insert Specifications of offered products
1.38	Serrated Arm, Clamp	2	☐ Yes ☐ No	Insert Specifications of offered products
1.39	Shackle, D-Shaped	1	☐ Yes ☐ No	Insert Specifications of offered products
1.40	Shock Cord, 10mm, 0.5m	2	☐ Yes ☐ No	Insert Specifications of offered products
1.41	Shock Cord, 10mm, 1m	2	☐ Yes ☐ No	Insert Specifications of offered products
1.42	Single Suction Anchor	2	☐ Yes ☐ No	Insert Specifications of offered products
1.43	Sling Webbing, Long	1	☐ Yes ☐ No	Insert Specifications of offered products
1.44	Sling Webbing, Short	1	☐ Yes ☐ No	Insert Specifications of offered products
1.45	Snatch Block, One-Way Lock	1	☐ Yes ☐ No	Insert Specifications of offered products
1.46	Heavy duty case with Foam	1	☐ Yes ☐ No	Insert Specifications of offered products
1.47	Splitter Ball	2	☐ Yes ☐ No	Insert Specifications of offered products
1.48	Suction Cup Bridge (Large)	1	☐ Yes ☐ No	Insert Specifications of offered products
1.49	Suction Cup Bridge (Medium)	1	☐ Yes ☐ No	Insert Specifications of offered products
1.50	Suction Cup Bridge (Small)	1	☐ Yes ☐ No	Insert Specifications of offered products
1.51	Wide Pad, Clamp	2	☐ Yes ☐ No	Insert Specifications of offered products
1.52	Wire Sling, 3mm, 0.9m	1	☐ Yes ☐ No	Insert Specifications of offered products
1.53	Wire Sling, 3mm, 1.8m	1	☐ Yes ☐ No	Insert Specifications of offered products
1.54	User Manual	1	☐ Yes ☐ No	Insert Specifications of offered products

Technical specifications for Goods and Comparative Data Table for Lot 2: Hook and Line System – Lite

UNOPS minimum technical requirements			Is a Bid compliant? Bidder to complete	Details of goods offered. Bidder to complete
Lot	Contents minimum or equivalent to:	Minimum Qty		

2	Description Lite Hook & Line kit for IEDD and EOD tasks. Set stored in a heavy duty case. Corrosion-Resistant		☐ Yes ☐ No	Insert details of goods offered, including specifications and brand/model offered if applicable – Important : Vendors shall provide relevant technical brochure to facilitate evaluation Please note that just a reference to the Data Sheet or brochures is not acceptable and the bid might be rejected. Include here specification as requested and what is offered, backed up by the relevant documentations in the submission dossier. Copy Pasted answers from the Requirement column is not accepted
2.1	3 Function Door Wedge	1	☐ Yes ☐ No	Insert Specifications of offered products
2.2	Allen Grip (Heavy Duty Cantilever Jaw)	1	☐ Yes ☐ No	Insert Specifications of offered products
2.3	Collapsible Pole with Pouch	1	☐ Yes ☐ No	Insert Specifications of offered products
2.4	Hook Setter	1	☐ Yes ☐ No	Insert Specifications of offered products
2.5	Hook, approx. 1 in / 25 mm internal opening	2	☐ Yes ☐ No	Insert Specifications of offered products
2.6	Hook, approx. 2 in / 50 mm internal opening	2	☐ Yes ☐ No	Insert Specifications of offered products
2.7	Hook, 50mm ID, 19mm GAP	1	☐ Yes ☐ No	Insert Specifications of offered products
2.8	Hook, Double	2	☐ Yes ☐ No	Insert Specifications of offered products
2.9	Hook, S	1	☐ Yes ☐ No	Insert Specifications of offered products
2.10	Hook, SL 50mm ID	1	☐ Yes ☐ No	Insert Specifications of offered products
2.11	Karabiner, Locking Gate (Large)	2	☐ Yes ☐ No	Insert Specifications of offered products
2.12	Karabiner, Straight Gate (Small)	2	☐ Yes ☐ No	Insert Specifications of offered products
2.13	Large Wedge	1	☐ Yes ☐ No	Insert Specifications of offered products
2.14	Lightweight Spring Grip	1	☐ Yes ☐ No	Insert Specifications of offered products
2.15	Line Puller	1	☐ Yes ☐ No	Insert Specifications of offered products
2.16	Line, White or similar, Minimum 100 m or 300 ft equivalent	1	☐ Yes ☐ No	Insert Specifications of offered products
2.17	Modular Clamp, STD Tips	1	☐ Yes ☐ No	Insert Specifications of offered products
2.18	Needle Nose Arm, Clamp	2	☐ Yes ☐ No	Insert Specifications of offered products
2.19	Piton Anchor	6	☐ Yes ☐ No	Insert Specifications of offered products
2.20	Pocket Search Mirror	1	☐ Yes ☐ No	Insert Specifications of offered products
2.21	Reel Assembly	1	☐ Yes ☐ No	Insert Specifications of offered products
2.22	Reel Bag	1	☐ Yes ☐ No	Insert Specifications of offered products
2.23	Rope Loop, 450mm	2	☐ Yes ☐ No	Insert Specifications of offered products
2.24	Rope Loop, 900mm	2	☐ Yes ☐ No	Insert Specifications of offered products
2.25	Rope Sling, 3mm, 2m	2	☐ Yes ☐ No	Insert Specifications of offered products
2.26	Rubber Door Wedge	2	☐ Yes ☐ No	Insert Specifications of offered products
2.27	Seizers, (150mm)	1	☐ Yes ☐ No	Insert Specifications of offered products
2.28	Self-Adhesive Anchor Pad	10	☐ Yes ☐ No	Insert Specifications of offered products
2.29	Self-Opening Snatch Block/Pulley	2	☐ Yes ☐ No	Insert Specifications of offered products

2.30	Serrated Arm, Clamp	2	☐ Yes ☐ No	Insert Specifications of offered products
2.31	Shock Cord, 10mm, 1m	1	☐ Yes ☐ No	Insert Specifications of offered products
2.32	Single Suction Anchor	2	☐ Yes ☐ No	Insert Specifications of offered products
2.33	Sling Webbing, Short	1	☐ Yes ☐ No	Insert Specifications of offered products
2.34	Heavy duty case with Foam	1	☐ Yes ☐ No	Insert Specifications of offered products
2.35	Splitter Ball	2	☐ Yes ☐ No	Insert Specifications of offered products
2.36	Suction Cup Bridge (Medium)	1	☐ Yes ☐ No	Insert Specifications of offered products
2.37	Wide Pad, Clamp	2	☐ Yes ☐ No	Insert Specifications of offered products
2.38	Wire Sling, 3mm, 0.9m	1	☐ Yes ☐ No	Insert Specifications of offered products
2.39	User Manual	1	☐ Yes ☐ No	Insert Specifications of offered products

Technical specifications for Goods and Comparative Data Table for Lot 3: Hook and Line System – Backpack

UNOPS minimum technical requirements			Is a Bid compliant? Bidder to complete	Details of goods offered. Bidder to complete
Lot	Contents minimum or equivalent to:	Minimum Qty		
3	Description Hook & Line for IEDD and EOD tasks. Set stored in a heavy duty backpack. Corrosion-Resistant		☐ Yes ☐ No	Insert details of goods offered, including specifications and brand/model offered if applicable – Important : Vendors shall provide relevant technical brochure to facilitate evaluation Please note that just a reference to the Data Sheet or brochures is not acceptable and the bid might be rejected. Include here specification as requested and what is offered, backed up by the relevant documentations in the submission dossier. Copy Pasted answers from the Requirement column is not accepted
3.1	3 Function Door Wedge	2	☐ Yes ☐ No	Insert Specifications of offered products
3.2	Allen Grip (Heavy Duty Cantilever Jaw)	1	☐ Yes ☐ No	Insert Specifications of offered products
3.3	Collapsible Pole with Pouch	1	☐ Yes ☐ No	Insert Specifications of offered products
3.4	Multi-purpose Clamp	1	☐ Yes ☐ No	Insert Specifications of offered products
3.5	Heavy duty Backpack	1	☐ Yes ☐ No	Insert Specifications of offered products
3.6	Hook Setter	1	☐ Yes ☐ No	Insert Specifications of offered products
3.7	Hook, 25 mm or 1 inch equivalent internal opening	2	☐ Yes ☐ No	Insert Specifications of offered products
3.8	Hook, 50 mm or 2 inch equivalent internal opening	2	☐ Yes ☐ No	Insert Specifications of offered products
3.9	Hook, Double	2	☐ Yes ☐ No	Insert Specifications of offered products
3.10	Hook, 50 mm SL-type hook OEM equivalent acceptable within 50 mm clas	1	☐ Yes ☐ No	Insert Specifications of offered products

3.11	Karabiner, Locking Gate (Large)	3	☐ Yes ☐ No	Insert Specifications of offered products
3.12	Karabiner, Straight Gate (Small)	3	☐ Yes ☐ No	Insert Specifications of offered products
3.13	Lightweight Spring Grip	1	☐ Yes ☐ No	Insert Specifications of offered products
3.14	Line Branch with Clamp	1	☐ Yes ☐ No	Insert Specifications of offered products
3.15	Line Puller	1	☐ Yes ☐ No	Insert Specifications of offered products
3.16	Main Line	1	☐ Yes ☐ No	Insert Specifications of offered products
3.17	Modular Clamp, STD Tips	1	☐ Yes ☐ No	Insert Specifications of offered products
3.18	Needle Nose Arm, Clamp	2	☐ Yes ☐ No	Insert Specifications of offered products
3.19	Piton Anchor	4	☐ Yes ☐ No	Insert Specifications of offered products
3.20	Pocket Search Mirror	1	☐ Yes ☐ No	Insert Specifications of offered products
3.21	Lightweight Reel	1	☐ Yes ☐ No	Insert Specifications of offered products
3.22	Rope Loop, 450mm	2	☐ Yes ☐ No	Insert Specifications of offered products
3.23	Rope Loop, 900mm	2	☐ Yes ☐ No	Insert Specifications of offered products
3.24	Rope Sling, 3 mm or OEM equivalent 3 to 5 mm diameter approximately 2 m length	2	☐ Yes ☐ No	Insert Specifications of offered products
3.25	Rubber Door Wedge	2	☐ Yes ☐ No	Insert Specifications of offered products
3.26	Screw Eye	6	☐ Yes ☐ No	Insert Specifications of offered products
3.27	Secondary Line	1	☐ Yes ☐ No	Insert Specifications of offered products
3.28	Seizers, Large (160mm)	2	☐ Yes ☐ No	Insert Specifications of offered products
3.29	Self-Adhesive Anchor Pad	10	☐ Yes ☐ No	Insert Specifications of offered products
3.30	Self-Opening Snatch Block/Pulley	4	☐ Yes ☐ No	Insert Specifications of offered products
3.31	Serrated Arm, Clamp	2	☐ Yes ☐ No	Insert Specifications of offered products
3.32	Shackle, D-Shaped	1	☐ Yes ☐ No	Insert Specifications of offered products
3.33	Shock Cord, 10mm, 1m	2	☐ Yes ☐ No	Insert Specifications of offered products
3.34	Single Suction Anchor	2	☐ Yes ☐ No	Insert Specifications of offered products
3.35	Sling Webbing, Short	1	☐ Yes ☐ No	Insert Specifications of offered products
3.36	Splitter Ball	2	☐ Yes ☐ No	Insert Specifications of offered products
3.37	Suction Cup Bridge (Medium)	1	☐ Yes ☐ No	Insert Specifications of offered products
3.38	Wall Stopper	2	☐ Yes ☐ No	Insert Specifications of offered products
3.39	Wide Pad, Clamp	2	☐ Yes ☐ No	Insert Specifications of offered products
3.40	Wire Sling, 3mm, 0.9m	1	☐ Yes ☐ No	Insert Specifications of offered products
3.41	Wire Sling, 3mm, 1.8m	1	☐ Yes ☐ No	Insert Specifications of offered products
3.42	User Manual	1	☐ Yes ☐ No	Insert Specifications of offered products

Technical specifications for Goods and Comparative Data Table for Lot 4: Hook and Line System – Tactical Kit

UNOPS minimum technical requirements	Is a Bid compliant? Bidder to complete	Details of goods offered. Bidder to complete
--------------------------------------	--	--

Lot	Contents minimum or equivalent to:	Minimum Qty		
4	Description Lightweight Hook & Line for IEDD and EOD tactical tasks. Set stored in modular leg pouches. Corrosion-Resistant		☐ Yes ☐ No	Insert details of goods offered, including specifications and brand/model offered if applicable – Important : Vendors shall provide relevant technical brochure to facilitate evaluation Please note that just a reference to the Data Sheet or brochures is not acceptable and the bid might be rejected. Include here specification as requested and what is offered, backed up by the relevant documentations in the submission dossier. Copy Pasted answers from the Requirement column is not accepted
4.1	Line module	1	☐ Yes ☐ No	Insert Specifications of offered products
4.2	Clamp module	1	☐ Yes ☐ No	Insert Specifications of offered products
4.3	Anchor module	1	☐ Yes ☐ No	Insert Specifications of offered products
4.4	Multi tool module	1	☐ Yes ☐ No	Insert Specifications of offered products
4.5	Grappling hook module	1	☐ Yes ☐ No	Insert Specifications of offered products
4.6	Heavy duty leg pouch	1	☐ Yes ☐ No	Insert Specifications of offered products
4.7	User Manual	1	☐ Yes ☐ No	Insert Specifications of offered products

Technical specifications for Goods and Comparative Data Table for Lot 5: Hook and Line System – Access Kit

UNOPS minimum technical requirements			Is a Bid compliant? Bidder to complete	Details of goods offered. Bidder to complete
Lot	Contents minimum or equivalent to:	Minimum Qty		
5	Description Access Hook & Line for IEDD and EOD tasks. Set stored in a heavy duty case. Corrosion-Resistant		☐ Yes ☐ No	Insert details of goods offered, including specifications and brand/model offered if applicable – Important : Vendors shall provide relevant technical brochure to facilitate evaluation Please note that just a reference to the Data Sheet or brochures is not acceptable and the bid might be rejected. Include here specification as requested and what is offered, backed up by the relevant documentations in the submission dossier. Copy Pasted answers from the Requirement column is not accepted
5.1	Finger Pull Actuator	1	☐ Yes ☐ No	Insert Specifications of offered products
5.2	3 Function Door Wedge	1	☐ Yes ☐ No	Insert Specifications of offered products
5.3	Handle/Grip Lifter	1	☐ Yes ☐ No	Insert Specifications of offered products
5.4	Push Button Actuator	1	☐ Yes ☐ No	Insert Specifications of offered products

5.5	Door Knob Turner	1	☐ Yes ☐ No	Insert Specifications of offered products
5.6	Door Lever Lifter	1	☐ Yes ☐ No	Insert Specifications of offered products
5.7	Spring Clamp, C1	1	☐ Yes ☐ No	Insert Specifications of offered products
5.8	Spring Clamp, C2	1	☐ Yes ☐ No	Insert Specifications of offered products
5.9	Spring Clamp, C3	1	☐ Yes ☐ No	Insert Specifications of offered products
5.10	Spring Clamp, C4	1	☐ Yes ☐ No	Insert Specifications of offered products
5.11	Spring Clamp, C5	1	☐ Yes ☐ No	Insert Specifications of offered products
5.12	Spring Clamp, C6	1	☐ Yes ☐ No	Insert Specifications of offered products
5.13	Spring Clamp, C7	1	☐ Yes ☐ No	Insert Specifications of offered products
5.14	Spring Clamp, C8	1	☐ Yes ☐ No	Insert Specifications of offered products
5.15	Spring Clamp, C9	1	☐ Yes ☐ No	Insert Specifications of offered products
5.16	Interior Hood Release	1	☐ Yes ☐ No	Insert Specifications of offered products
5.17	Clamp Screw, Long	6	☐ Yes ☐ No	Insert Specifications of offered products
5.18	Clamp Screw, Short	2	☐ Yes ☐ No	Insert Specifications of offered products
5.19	Clamp Screw, Short	1	☐ Yes ☐ No	Insert Specifications of offered products
5.20	Heavy duty case with Foam	1	☐ Yes ☐ No	Insert Specifications of offered products
5.21	User Manual	1	☐ Yes ☐ No	Insert Specifications of offered products

Technical specifications for Goods and Comparative Data Table for Lot 6: Hook and Line System – Building Kit

UNOPS minimum technical requirements			Is a Bid compliant? Bidder to complete	Details of goods offered. Bidder to complete
Lot	Contents minimum or equivalent to:	Minimum Qty		
6	Description Building Access Hook & Line for IEDD and EOD tasks. Set stored in a heavy duty case or heavy-duty backpack. Corrosion-Resistant		☐ Yes ☐ No	Insert details of goods offered, including specifications and brand/model offered if applicable – Important : Vendors shall provide relevant technical brochure to facilitate evaluation Please note that just a reference to the Data Sheet or brochures is not acceptable and the bid might be rejected. Include here specification as requested and what is offered, backed up by the relevant documentations in the submission dossier. Copy Pasted answers from the Requirement column is not accepted
6.1	Remote door opener	1	☐ Yes ☐ No	Insert Specifications of offered products
6.2	Doorway anchor	1	☐ Yes ☐ No	Insert Specifications of offered products
6.3	Multi-purpose anchor	1	☐ Yes ☐ No	Insert Specifications of offered products
6.4	Door hinge anchor	2	☐ Yes ☐ No	Insert Specifications of offered products
6.5	Key/handle clamp	1	☐ Yes ☐ No	Insert Specifications of offered products

6.6	Heavy duty case with Foam or heavy-duty backpack	1	☐ Yes ☐ No	Insert Specifications of offered products
6.7	User Manual	1	☐ Yes ☐ No	Insert Specifications of offered products

Technical specifications for Goods and Comparative Data Table for Lot 7: Hook and Line System – Vehicle Kit

UNOPS minimum technical requirements			Is a Bid compliant? Bidder to complete	Details of goods offered. Bidder to complete
Lot	Contents minimum or equivalent to:	Minimum Qty		
7	Description Vehicle Access Hook & Line kit for IEDD and EOD tasks. Set stored in a heavy duty case or heavy-duty backpack. Corrosion-Resistant		☐ Yes ☐ No	Insert details of goods offered, including specifications and brand/model offered if applicable – Important : Vendors shall provide relevant technical brochure to facilitate evaluation Please note that just a reference to the Data Sheet or brochures is not acceptable and the bid might be rejected. Include here specification as requested and what is offered, backed up by the relevant documentations in the submission dossier. Copy Pasted answers from the Requirement column is not accepted
7.1	Engine compartment tool	1	☐ Yes ☐ No	Insert Specifications of offered products
7.2	Window breaker	1	☐ Yes ☐ No	Insert Specifications of offered products
7.3	hand break release	1	☐ Yes ☐ No	Insert Specifications of offered products
7.4	Hood release hook set	1	☐ Yes ☐ No	Insert Specifications of offered products
7.5	key turner	1	☐ Yes ☐ No	Insert Specifications of offered products
7.6	Push button actuator	1	☐ Yes ☐ No	Insert Specifications of offered products
7.7	Single suction Anchor Pad	1	☐ Yes ☐ No	Insert Specifications of offered products
7.8	Self-Adhesive Anchor Pad	1	☐ Yes ☐ No	Insert Specifications of offered products
7.9	Suction Cup bridge	1	☐ Yes ☐ No	Insert Specifications of offered products
7.10	Spring clam C5	1	☐ Yes ☐ No	Insert Specifications of offered products
7.11	Spring clam C7	1	☐ Yes ☐ No	Insert Specifications of offered products
7.12	Heavy duty case with Foam or heavy-duty backpack	1	☐ Yes ☐ No	Insert Specifications of offered products
7.13	Shock Cord, 10mm, 1m	1	☐ Yes ☐ No	Insert Specifications of offered products
7.14	Rope sling, 3 mm or OEM equivalent 3 to 5 mm diameter approximately 2 m length	1	☐ Yes ☐ No	Insert Specifications of offered products
7.15	Shock Cord, 10mm, 0.5 m	1	☐ Yes ☐ No	Insert Specifications of offered products
7.16	User Manual	1	☐ Yes ☐ No	Insert Specifications of offered products

Technical specifications for Goods and Comparative Data Table for Lot 8: Hook and Line System – Tripod Kit

UNOPS minimum technical requirements			Is a Bid compliant? Bidder to complete	Details of goods offered. Bidder to complete
Lot	Contents minimum or equivalent to:	Minimum Qty		
8	Description Lightweight tripod kit for IEDD and EOD tasks. Set stored in a heavy duty case or heavy-duty backpack. Corrosion-Resistant		☐ Yes ☐ No	Insert details of goods offered, including specifications and brand/model offered if applicable – Important : Vendors shall provide relevant technical brochure to facilitate evaluation Please note that just a reference to the Data Sheet or brochures is not acceptable and the bid might be rejected. Include here specification as requested and what is offered, backed up by the relevant documentations in the submission dossier. Copy Pasted answers from the Requirement column is not accepted
8.1	Lightweight tripod - able to lift a minimum of 80 kg	1	☐ Yes ☐ No	Insert Specifications of offered products
8.2	Double snatch block pulley	1	☐ Yes ☐ No	Insert Specifications of offered products
8.3	Auxiliary snatch block pulley	1	☐ Yes ☐ No	Insert Specifications of offered products
8.4	Locking pins for tripod legs	6	☐ Yes ☐ No	Insert Specifications of offered products
8.5	Bracing line	3	☐ Yes ☐ No	Insert Specifications of offered products
8.6	Adjuster plate, bracing line	3	☐ Yes ☐ No	Insert Specifications of offered products
8.7	Anchor peg, straight	6	☐ Yes ☐ No	Insert Specifications of offered products
8.8	Anchor peg, serrated	3	☐ Yes ☐ No	Insert Specifications of offered products
8.9	Heavy duty case with Foam or heavy-duty backpack	1	☐ Yes ☐ No	Insert Specifications of offered products
8.10	User Manual	1	☐ Yes ☐ No	Insert Specifications of offered products

C. Delivery requirements and Comparative Data Table:

UNOPS Requirements		Is the bid compliant? Bidder to complete	Details Bidder to complete
Delivery time	Bidder shall deliver the goods 4-6 weeks after Contract signature.	☐ Yes ☐ No	Insert details
Delivery place and Incoterms rules	Incoterms: FCA (Incoterm 2010) point(s) of delivery for offered products (Please enter the complete address)	☐ Yes ☐ No	Insert details
Consignee details	Supplier is able to export Products to at least 20/28 locations. See below list:	☐ Yes ☐ No	Insert details

UNOPS Right to vary requirements	At the time the Contract is awarded, UNOPS reserves the right to vary the quantity of the goods and associated services specified above, provided this does not exceed +/- 20%, without any change in the unit prices or other terms and conditions of the ITB.	☐ Yes ☐ No	Insert details
---	---	--	----------------

Delivery requirements and Comparative Data Table:

UNOPS - Peace and Security Cluster is operating in the following countries. Bidders must be able to facilitate export to at least 20 out of 28 of the following locations.

- | | | |
|---------------------------------------|-------------|-------------------------------|
| 1. Abyei | 10. Iraq | 19. Sudan, Darfur |
| 2. Algeria | 11. Lebanon | 20. Sudan, Khartoum |
| 3. Afghanistan | 12. Libya | 21. South Sudan |
| 4. Burkina Faso | 13. Mali | 22. Syria |
| 5. Cambodia | 14. Myanmar | 23. Tunisia |
| 6. Central African Republic | 15. Nepal | 24. Turkey |
| 7. Cyprus | 16. Nigeria | 25. Uganda |
| 8. Colombia | 17. Israel | 26. Western Sahara |
| 9. Democratic Republic of Congo (DRC) | 18. Somalia | 27. Yemen |
| | | 28. USA – PSC New York Office |